



# SAFETY DATA SHEET

#### 1. Identification

Identification

Product name: ROTORLUB 4000FG-46

Additional identification

Chemical name: Mixture

Recommended use and restriction on use

Recommended use: Not determined.
Restrictions on use: Not determined.

Details of the supplier of the safety data sheet

Supplier Gardner Denver

1800 Gardner Expressway,

Quincy, IL 62301 United States of America Ph: 217-222-5400

**Emergency telephone number:** 

FOR TRANSPORT EMERGENCY CALL CHEMTREC (+1)703 527 3887, OR WITHIN USA 800 424 9300 (LUBRIZOL)

# 2. Hazard(s) identification

**Hazard Classification** 

Not classified

**Label Elements:** 

Hazard Symbol: No symbol

Signal Word: No signal word.

Hazard Statement: not applicable

Precautionary Statement: not applicable

Other hazards which do not result

None identified.

in GHS classification:

# 3. Composition/information on ingredients

Chemical name	CAS number	Percent by Weight
Aryl thiophosphate	597-82-0	0.5 - 1%

#### 4. First-aid measures

**Ingestion:** Treat symptomatically. Get medical attention.

ROTORLUB 4000FG-46 1/9

**Inhalation:** Remove exposed person to fresh air if adverse effects are observed.

**Skin Contact:** Wash with soap and water. If skin irritation occurs, get medical attention.

Eye contact: Any material that contacts the eye should be washed out immediately with

water. If easy to do, remove contact lenses.

Most important symptoms/effects, acute and delayed

**Symptoms:** See section 11.

Indication of immediate medical attention and special treatment needed

**Treatment:** Treat symptomatically.

5. Fire-fighting measures

**General Fire Hazards:** No unusual fire or explosion hazards noted.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

CO2, dry chemical, foam, water spray, water fog.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

A solid stream of water will spread the burning material. Material creates a special hazard because it floats on water. See section 10 for additional

information.

Special protective equipment and precautions for firefighters

**Special fire fighting** 

procedures:

No data available.

Special protective

equipment for fire-fighters:

Recommend wearing self-contained breathing apparatus.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Personal Protective Equipment must be worn, see Personal Protection

Section for PPE recommendations.

Methods and material for containment and cleaning up:

Dike far ahead of larger spill for later recovery and disposal. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert

material.

**Environmental Precautions:** Avoid release to the environment. Do not contaminate water sources or

sewer. Environmental manager must be informed of all major spillages.

Prevent further leakage or spillage if safe to do so.

ROTORLUB 4000FG-46 2/9

#### 7. Handling and storage

**Precautions for safe handling:** Do not breathe thermal decomposition products. Avoid contact with eyes

and prolonged or repeated contact with skin. Ground/bond container and receiving equipment. Open container in a well ventilated area. Avoid breathing vapors. Avoid prolonged exposure to heat and air. All equipment should be grounded to prevent static discharges, and vented to provide for

potential energy release.

Observe good industrial hygiene practices. Provide adequate ventilation.

Wear appropriate personal protective equipment.

Maximum Handling Temperature:

Not determined.

Conditions for safe storage,

including any incompatibilities:

Do not store in direct sunlight. Store away from incompatible materials. See

section 10 for incompatible materials.

Maximum Storage Temperature:

Not determined.

#### 8. Exposure controls/personal protection

#### **Control Parameters:**

#### **Occupational Exposure Limits**

None of the components have assigned exposure limits.

Appropriate engineering

controls:

Mechanical ventilation or local exhaust ventilation may be required. No special requirements under ordinary conditions of use and with adequate

ventilation.

# Individual protection measures, such as personal protective equipment

**General information:** Use personal protective equipment as required.

**Eye/face protection:** If contact is likely, safety glasses with side shields are recommended.

**Skin Protection** 

**Hand Protection:** Suitable gloves can be recommended by the glove supplier. Consult

clothing/glove manufacturer to determine appropriate type of glove for given situation. Gloves should always be inspected before each use and discarded

if they show tears, pinholes, or signs of wear.

**Other:** Do not wear rings, watches or similar apparel that could entrap the material.

**Respiratory Protection:** Consult with an industrial hygienist to determine the appropriate respiratory

protection for your specific use of this material. A respiratory protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator.

**Hygiene measures:** Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

# 9. Physical and chemical properties

ROTORLUB 4000FG-46 3/9

**Appearance** 

Physical state: liquid
Form: liquid

Colorless to yellow

Odor: Mild

Odor threshold:

pH:

No data available.

Flash Point: 520.0 °F (271.1 °C) (Cleveland Open Cup)

**Evaporation rate:**No data available. **Flammability (solid, gas):**No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

No data available.

No data available.

No data available.

No data available.

Vapor pressure:

Vapor density:

Relative density:

No data available.

Solubility(ies)

Solubility in water:
Solubility (other):
No data available.
Partition coefficient (n-octanol/water):
No data available.
Auto-ignition temperature:
No data available.
Decomposition temperature:
No data available.

Viscosity: 41.1 - 50.60 mm2/s ( 104 °F (40 °C) ) 9.6 mm2/s (100 °C (212

°F))

Other information

**Bulk density:** 6.941 lb/gal 77 °F (25 °C)

10. Stability and reactivity

**Reactivity:** No data available.

**Chemical Stability:** Material is stable under normal conditions.

**Possibility of Hazardous** 

Reactions:

Will not occur.

Conditions to Avoid: Sunlight. Do not expose to excessive heat, ignition sources, or oxidizing

materials.

**Incompatible Materials:** Strong bases. Strong mineral acids and strong oxidizing agents.

**Hazardous Decomposition** 

**Products:** 

Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, and other products of incomplete combustion.

ROTORLUB 4000FG-46 4/9

# 11. Toxicological information

Information on likely routes of exposure

Inhalation: No data available.

Ingestion: No data available.

**Skin Contact:** No data available.

Eye contact: No data available.

Information on toxicological effects

**Acute toxicity** 

Oral

Product: Not classified for acute toxicity based on available data.

**Dermal** 

Product: Not classified for acute toxicity based on available data.

Inhalation

Product: Not classified for acute toxicity based on available data.

Skin Corrosion/Irritation:

Product: Prolonged or repeated skin contact as from clothing wet with

material may cause dermatitis. Symptoms may include redness,

edema, drying, and cracking of the skin.

Remarks: Not classified as a primary skin irritant.

Serious Eye Damage/Eye Irritation:

Product: Remarks: Not classified as a primary eye irritant.

Respiratory sensitization:

No data available

Skin sensitization:

No data available

**Specific Target Organ Toxicity - Single Exposure:** 

No data available

**Aspiration Hazard:** 

No data available

**Chronic Effects** 

Carcinogenicity:

No data available

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:** 

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

ROTORLUB 4000FG-46 5/9

**Germ Cell Mutagenicity:** 

Aryl thiophosphate This material has not exhibited mutagenic or genotoxic potential in

laboratory tests.

Reproductive toxicity:

Aryl thiophosphate Suspected of damaging fertility.

Repeated oral gavage dosing of laboratory animals with aryl thiophosphate in a reproductive/developmental toxicity screening study resulted in litter loss and decreases in number of implantation

sites at high doses.

**Specific Target Organ Toxicity - Repeated Exposure:** 

No data available

# 12. Ecological information

**Ecotoxicity** 

Fish

No data available

**Aquatic Invertebrates** 

No data available

**Toxicity to Aquatic Plants** 

No data available

Toxicity to soil dwelling organisms

No data available

**Sediment Toxicity** 

No data available

**Toxicity to Terrestrial Plants** 

No data available

**Toxicity to Above-Ground Organisms** 

No data available

Toxicity to microorganisms

No data available

Persistence and Degradability

Biodegradation

No data available

**Bioaccumulative Potential** 

**Bioconcentration Factor (BCF)** 

No data available

Partition Coefficient n-octanol / water (log Kow)

No data available

Mobility:

No data available

ROTORLUB 4000FG-46 6/9

Other Adverse Effects: No data available.

# 13. Disposal considerations

**Disposal instructions:** Treatment, storage, transportation, and disposal must be in accordance

with applicable Federal, State/Provincial, and Local regulations.

Since emptied containers retain product residue, follow label warnings even

after container is emptied.

**Contaminated Packaging:** Container packaging may exhibit hazards.

# 14. Transport information

#### DOT

Not regulated.

#### **IMDG**

Not regulated.

#### ΙΔΤΔ

Not regulated.

# Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

None known.

Shipping descriptions may vary based on mode of transport, quantities ,temperature of the material, package size, and/or origin and destination It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material. Review classification requirements before shipping materials at elevated temperatures.

# 15. Regulatory information

#### **US Federal Regulations**

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **Hazard categories**

None known.

SARA 302 Extremely Hazardous Substance SARA 304 Emergency Release Notification SARA 311/312 Hazardous Chemical SARA 313 (TRI Reporting)

This product may contain chemical(s) regulated under the Superfund Amendments and Reauthorization Act (SARA). For additional information please contact Lubrizol Customer Assistance: America(s): AmerLZAMCustomerAssistance@Lubrizol.com; Europe: EMEAlCustomerAssistance@Lubrizol.com; Asia: APCustomerAssistance@Lubrizol.com

# **US State Regulations**

### **US. California Proposition 65**

No ingredient regulated by CA Prop 65 present.

# **Inventory Status**

Australia (AICS)

All components are in compliance with chemical notification requirements in Australia.

ROTORLUB 4000FG-46 7/9

#### Canada (DSL/NDSL)

All components are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List.

#### China (IECSC)

All components of this product are listed on the Inventory of Existing Chemical Substances in China.

#### European Union (REACh)

To obtain information on the REACH compliance status of this product, please visit Lubrizol.com/REACH, or e-mail us at REACH MSDS INQUIRIES@Lubrizol.com

#### Japan (ENCS)

All components are in compliance with the Chemical Substances Control Law of Japan.

#### Korea (ECL)

All components are in compliance in Korea.

#### New Zealand (NZIoC)

All components are in compliance with chemical notification requirements in New Zealand.

#### Philippines (PICCS)

All components are in compliance with the Philippines Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990 (R.A. 6969).

#### Switzerland (SWISS)

All components are in compliance with the Environmentally Hazardous Substances Ordinance in Switzerland.

#### Taiwan (TCSCA)

All components of this product are listed on the Taiwan inventory.


# United States (TSCA)

All components of this material are on the US TSCA Inventory.

The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in Section 3.


#### 16.Other information, including date of preparation or last revision

# **HMIS Hazard ID**



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; \*Chronic health effect

## **NFPA Hazard ID**



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

**Issue Date:** 03/08/2015

ROTORLUB 4000FG-46 8/9

Version #: 1.0

**Source of information:** Internal company data and other publically available resources.

**Further Information:** Contact supplier (see Section 1)

**Disclaimer:** As the conditions or methods of use are beyond our control, we do not

assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local regulations remains

the responsibility of the user.

ROTORLUB 4000FG-46 9/9